











COMPONENTS

Track Herkules 2
L: 1.20 m, 1.50 m, 1.80 m, 2.00 m, 2.40 m, 3.00 m, 4.00 m, 6.00 m

33

Set Herkules 60 or 120 kg	
 x2	
Carriage Herkules H60 or H120	Clipstopper Herkules
	
Universal guide	Stopper
 Screw 4x16 - 7 pcs	
 Screw 4x50 - 4 pcs	

Sleeve spacer	Wall bracket for door thickness max. 25 mm	Wall bracket for door thickness max. 45 mm	Mounting plate for wooden fascia
			 3 pcs 9 pcs
Sleeve guide 1102	C-section steel 1109	Masking fascia Herkules 2	Masking fascia Herkules Wood end cap
	L: 2.00 m, 3.00 m, 4.00 m, 5.00 m, 6.00 m	L: 1.50 m, 1.80 m, 2.00 m, 2.40 m, 3.00 m, 4.00 m	L: 2.01 m
			
			Masking fascia Herkules Glass end cap
			L: 2.01 m
			


OPTIONS




TL - track length ($W = 2w$)

height of door	- h	$h = H - 70 \text{ mm}$
width of door	- w	$w = 1/2 \text{ TL}$

Bottom guide options




Fastening of track to ceiling




TL (mm)	1200	1500	1800
<i>n</i>	5	6	7

TL (mm)	2000	2400	3000
n	7	9	11

Wooden masking fascia installation




Fastening of guide with wall brackets





Fastening of Masking fascia Herkules 2



Fastening of masking fascia Herkules Wood/Herkules Glass

