

**COMPONENTS**

**OPTIONS**

**Track Herkules 2**

L: 1.20 m, 1.50 m, 1.80 m, 2.00 m, 2.40 m, 3.00 m, 4.00 m, 6.00 m

33

**Set Herkules 60 or 120 kg**

x2  
Carriage Herkules H60 or H120

Clipstopper Herkules

Universal guide

Stopper

Screw 4x16 - 7 pcs

Screw 4x50 - 4 pcs

**Sleeve spacer**

**Wall bracket for door thickness max. 25 mm**

**Wall bracket for door thickness max. 45 mm**

**Mounting plate for wooden fascia**

3 pcs

9 pcs

**Sleeve guide 1102**

**C-section steel 1109**

L: 2.00 m, 3.00 m, 4.00 m, 5.00 m, 6.00 m

**Masking fascia Herkules 2**


L: 1.20 m, 1.50 m, 1.80 m, 2.00 m, 2.40 m, 3.00 m, 4.00 m, 6.00 m

**Masking fascia Herkules Wood end cap**

L: 2.01 m

**Masking fascia Herkules Glass end cap**


L: 2.01 m




**TL** - track length ( $W = 2w$ )

|                |     |                         |
|----------------|-----|-------------------------|
| height of door | - h | $h = H - 70 \text{ mm}$ |
| width of door  | - w | $w = 1/2 \text{ TL}$    |

**Bottom guide options**




**Fastening of track to ceiling**




|         |      |      |      |
|---------|------|------|------|
| TL (mm) | 1200 | 1500 | 1800 |
| n       | 5    | 6    | 7    |
| TL (mm) | 2000 | 2400 | 3000 |
| n       | 7    | 9    | 11   |

**Wooden masking fascia installation**



**Fastening of guide with wall brackets**






SYSTEM

# HERKULES 60, 120

# SEVROLL®

## Fastening of Masking fascia Herkules 2



## Fastening of masking fascia Herkules Wood/Herkules Glass

