









COMPONENTS



With **Unicomfort** set you may use bottom track ***Doubler II with covering strip*** along with bottom carriage WD18V HI-TEC. **Fitting measurements are not affected.**





LINE


UNICOMFORT

SYSTEM

COMFORT 18

SEVROLL

Dimensions of opening




Handle length = door height

door height	- h	$h = H - 42 \text{ mm}$
door wing height with soft-close fitted	Mini SV25/40/60, SV-25/50	$h = H - 42 \text{ mm}$
	Top SV60/80, Central SV25/40	$h = H - 44 \text{ mm}$
board height	- hb	$hb = h - 2 \text{ mm}$
door width	- w	$w = (W - 3 \text{ mm} + Z) : N$
board width #18	- wb	$wb = w - 40 \text{ mm}$
board width #12	- wb _m	$wb_m = w - 7 \text{ mm}$
angle section length	- la	this size is determined after door construction

number of doors	- N	2	3	4	5
total overlap	- Z	35 mm	70 mm	105 mm	140 mm


visual design – 4 wings	
	$w = (W - 3 + 105) : 4$
	$w = (W : 2 + 32) : 2$



mirror dimensions

mirror height	- hm = hb - 4 mm
mirror width	- wm = wb _m - 36 mm


ATTENTION:
board to mirror contact area should be free from dirt and grase before applying double-sided tape




Broken line indicates recommended positioning of double-sided tape

- When fitting handle profiles, do not use assembly adhesive
- The handle should be fixed to board with fastening screws on the inner door face



Installation method for handle and guiding carriage with # 18 mm board



Installation method for handle and guiding carriage with # 12 mm board + # 4 mm mirror



Installation method for angle section ZW (20 mm x 18 mm)

**ATTENTION!**

Angle section must be fastened to board with minimum 3 screws Ø 3x25.

ATTENTION!

Handle profile should be 2 mm longer than board height.

WARNING

SEVROLL does not bear any responsibility for deformation resulting from the application of improper quality of boards (improper storage, improper humidity)

ATTENTION!

Remove protective film from aluminium elements (handles, tracks, connectors, etc.) prior to cutting them to the desired size. Film removal will reveal quality issues (eg. scratches)